



An Overview of the **ZHUORIM** TTR UK MICR Product Range



Quality starts with OUR film

MICR Product Matrix

CPI Ref.	Base Film (µm)	Base Film Gauge	Description	Suitable for
9625	12.7	50	E13B Checktech printers	Checktec 4500, Kerning
9641	12.7	50	E13B/CMC7 Indelible	Checktec 4500, Kerning
9642	12.7	50	E13B/CMC7 Indelible/Fluorescent	Checktec 4500, Kerning
4055007	12.7	50	CMC7	Checktec 4500, Kerning
4055003	14	55	CMC7	Troy, CP300, Bull
9622	14	55	E13B/CMC7	Inotech, Troy, CP300, Bull, Kerning
9627	14	55	E13B Fluorescent	Inotech, Troy, CP300, Bull, Kerning, Nale, Autographic, Walther, Clausen, Codaprint
9639	14	55	E13B Indelible for Troy	Inotech, Troy, CP300, Bull, Kerning
9623	14	55	E13B Low transfer energy	Nale, Autographic, Walther, Clausen, Codaprint
9633	14	55	E13B Indelible	Nale, Autographic, Walther, Clausen, Codaprint
9653	14	55	E13B Indelible/Fluorescent	Inotech, Troy, CP300, Bull, Kerning, Nale, Autographic, Walther, Clausen, Codaprint
9630	16	63	E13B	Unisys, Walther, NCR 7780
9631	15	60	CMC7	Unisys, Standard Register, Maverick, Rototype, Fuji
9638	15	60	E13B Indelible	Unisys, Standard Register, Maverick, Rototype, Fuji
9619	15	60	E13B	Unisys, Standard Register, Maverick, Rototype, Fuji
9620	15	60	E13B Fluorescent	Unisys, Standard Register, Maverick, Rototype, Fuji

All of the materials above are available in both slit rolls and jumbo rolls – in various widths 660mm / 690mm / 788mm / 840mm. Please request which width is available for your specific CPI Ref quality

Tests are performed using standard Zhuorim test methods and the features mentioned should be used as guidelines and not taken as a guarantee. Customers are requested to assess the suitability of these products for their own use.

Storage Conditions

Product shelf life has been proven through age testing up to 24 months under the following conditions: Out of direct sunlight, storage between temperatures of 5°C to 35°C in dry conditions

A material safety datasheet or certificate is available on request. This quality is in compliance with



Single Strike Product Matrix

CPI Ref.	Base Film (μm)	Base Film Gauge	Description	Suitable for
9643	14	55	Red Laserproof Singlestrike	Inotech, Checktec 4000, Dataproducts BP 1500, Codaprint, Nale, Autographic, Walther, Clausen, Troy
9644	14	55	Black Laserproof Singlestrike	Inotech, Checktec 4000, Dataproducts BP 1500, Codaprint, Nale, Autographic, Walther, Clausen, Troy
9654	14	55	Black Laserproof Singlestrike Indelible	Inotech, Checktec 4000, Dataproducts BP 1500, Codaprint, Nale, Autographic, Walther, Clausen, Troy

All of the materials above are available in both slit rolls and jumbo rolls – in various widths 660mm / 690mm / 788mm / 840mm. Please request which width is available for your specific CPI Ref quality

Invisible Fluorescent

CPI Ref.	Base Film (μm)	Base Film Gauge	Description	Suitable for
4055026	16	63	Invisible Fluorescent (blue)	All of the above printers (samples before ordering advised)

Thermal Transfer MICR

CPI Ref.	Base Film (μm)	Base Film Gauge	Description	Suitable for
5271020	4.5	12	E13B / CMC7 / OCR	Many Flat Head TTR Printer, many Near Edge TTR Printer, Rototype

Tests are performed using standard Zhuorim test methods and the features mentioned should be used as guidelines and not taken as a guarantee. Customers are requested to assess the suitability of these products for their own use.

Storage Conditions

Product shelf life has been proven through age testing up to 24 months under the following conditions: Out of direct sunlight, storage between temperatures of 5°C to 35°C in dry conditions

A material safety datasheet or certificate is available on request. This quality is in compliance with





Your Zhuorim TTR UK Contacts



HEAD OFFICE

Zhuorim TTR UK

Markethill Road
Turriff
Aberdeenshire
AB53 4AW
Scotland, U.K.

REGISTERED OFFICE

Lothian Shelf 731 Ltd, t/a Zhuorim TTR UK

50 Lothian Road,
Festival Sq.
Edinburgh
EH3 9WJ
Scotland, U.K.



PHONE

+ 44(0) 1888 564200



EMAIL

enquiries@zhuorimttr.co.uk



INTERNET

<https://www.zhuorimttr.co.uk>

ITTR, MICR + INK SALES UK & EUROPE / WORLDWIDE

Kathryn McIntosh

EMAIL

kathryn.mcintosh@zhuorimttr.co.uk

ITTR SALES GERMANY / EUROPE

Martina Patrmanová

EMAIL

martina.patrmanova@zhuorimttr.co.uk

Miroslav Pernica

EMAIL

miroslav.pernica@zhuorimttr.co.uk

CUSTOMER SERVICE GERMANY / EUROPE / WORLDWIDE

Iska Birnie

EMAIL

iska.birnie@zhuorimttr.co.uk

TECHNICAL SUPPORT, WEBDESIGN & BUSINESS DEVELOPMENT

Detlef Reinartz

EMAIL

detlef.reinartz@zhuorimttr.co.uk

Although the utmost care has been taken to avoid typing errors we cannot guarantee that the brochure is free from errors. Always assess the suitability of the products for the intended use. Please accept our apologies for any inconvenience this may cause.

Zhuorim TTR UK, Markethill Road, Turriff, AB53 4AW, Scotland, U.K.
Tel. : + 44 (0) 1888 564200 www.zhuorimttr.co.uk Email : enquiries@zhuorimttr.co.uk